




REQUEST FOR QUOTATION/BID FORM

Date: April 11, 2025
 PR No.: 2025-03-424/425/460/461/462
 Fund: 164
 End-User: HEALTH /Dr. Abegail M. Abundo

Project Name: PROCUREMENT OF MEDICAL AND DENTAL SUPPLIES & EQUIPMENT FOR HEALTH SERVICES
ABC: One Hundred Forty Eight Thousand Eight Hundred Pesos (Php 148,800.00)
Mode of Procurement: NP-Small Value Procurement (Section 53.9 of the 2016 RIRR of RA 9184)
Mode of Evaluation: Lot Evaluation
Delivery Period: Thirty (30) calendar days upon receipt of P.O.

Sir/Madam:

Please quote your lowest price on the item/s listed below, subject to the Terms and Conditions below and submit your quotation duly signed by your representative not later than **APRIL 15, 2025** sealed in an envelope.


ROMMEL S. TORRES
 BAC Vice-Chairperson 

Note:

- Bidder shall provide correct and accurate information required in this form. All entries must be typewritten or legibly written.
- Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- Price quotation/s to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- Bidder may submit, if available, original brochure showing certifications of the product being offered.
- Quotations through email is acceptable. Winning bidder shall submit original signed RFQ before issuance of Purchase Order.
- Documentary requirements shall be attached upon submission of the quotation:

- Mayor's/Business Permit**
- PhilGEPS Registration Certificate**
- Income/Business Tax Returns (for ABC's above P500K)**
- Omnibus Sworn Statement (for ABC's above P50K) - for submission upon receipt of Notice of Award**

| Item No. | Description | QTY | UOM | BID OFFER | | Offered Specs/ Brand/Model | Remarks |
|----------|--|-----|------|------------|-------------|-------------------------------|---------|
| | | | | Unit Price | Total Price | | |
| 1 | Finger Pulse Oximeter, SPO2 PR PI RR Blood Oxygen with Respiratory Rate ; Specifications: 1.Oxygen saturation (SpO2)-- Measuring range: 70-99% measurement accuracy. (PR)BPM -- Measuring range: 30 bpm - 250 bpm ,PI -- Measuring range: 0.2%-30% , PI means Perfusion Index , it shows Blood perfusion ability . Respiratory Rate (RR) -- Normal adult breathe 16-20 times per Minute. Normal child breathe fast than adult , breathe 20-30 times per Minute, Newborn could breathe 44 times per Minute. 2. Display Screen: Blue and Yellow two colors OLED Screen. 3. Display Directions: Four Directions, Six display modes 4. Energy saving: Two AAA batteries could use more than 40 hours. 5. Voltage warning: There has Low voltage warning. 6. Automatic shut-down: Automatic shut-down in 8 secends when there has no signal. | 2 | unit | | | | |



| | | | | | | | |
|---|--|---|------|--|--|--|--|
| 2 | Infrared Thermometer No Contact Forehead Thermometer with Fever Alarm, Accurate Reading. Specifications: Material: ABS Measuring Distance: 3~5cm Measuring Range: For human body temperature measurement: 34~42.9°C (93.2~109.2°F) For Object surface temperature measurement: 0~100°C (32~212°F) Memory Function: 32 groups Display Unit: °C/°F switchable Automatic Shutdown: 30s Power Supply: 2 * 1.5V AAA battery | 1 | unit | | | | |
| 3 | Dental Hand piece, low speed Features: Air Pressure: 0.25(Mpa)-0.3(Mpa) Water pressure: 198Kpa(2Kg) Forward rotation speed: 18(krpm) Reversal rotation speed: 16(krpm) Torque: 0.4(N)-0.45(N) Bur size: Φ2.334-Φ2.355(mm) Water flow: 90(min/ml)-110(min/ml) Water pressure: 0.2(Mpa)-0.23(Mpa) Noise: ≤67dB | 1 | pc | | | | |
| 4 | Dental Handpiece Highspeed Product Features: <ul style="list-style-type: none"> • Low noise • Standard Head • Vibration free • Heating free and high illumination Technical data: 1. Speed: 25000-35000 R.P.M 2. Air consumption: 55L/min 3. Cartridge: Unenclosed, push button 4. Illumination: 4500-4800mcd 5. Light Temperature: 3500-5000K 6. Light Beam: Concentrated 7. Operating air pressure: 0.25-0.3Mpa (0.3MPa preferred) 8. Noise level: ≤70 dB 9. Sterilization by autoclave at 135 °C 10. Chucking power: 20-45N 11. BUR APPLICABLE: Φ1.60mm (ISO) 12. Back siphonage prevention sanitation handpiece | 1 | pc | | | | |
| 5 | Folding Bed 2in1 Reclining Patient Bed/Chair with Adjustable Headrest Folding bed, no need for tedious installation, expansion, and use, easy to open in 10 seconds. When folded, its compact design allows it to be stored anywhere. Product information: Product Name: Folding Bed Size: 179 cm (length) × 66 centimeters (width) Packaging volume: L97 * W66 * H18 Gross weight: 5.4KG Load capacity: 200kg Features: No installation required, easy to fold, small storage space | 7 | unit | | | | |



| | | | | | | | |
|---|--|---|------|--|--|--|--|
| 6 | Medicine cabinet aseptic, Three-pump medicine cabinet, 304 stainless steel, 1.2mm thickness, Glass door on top compartment, 3 Drawers, W1,200mm*D500mm*H1,800mm | 1 | unit | | | | |
| 7 | Weighing and Height Scale Capacity 400 lb x 4 oz, 180kg. X 100 g., 400 lb x 4 oz / 175 kg x 100 g. Scale Height. 59 in / 150 cm Height Rod. 30 to 78 in / 76 to 200 cm. 1/4 in / 1/2 cm increments | 1 | unit | | | | |
| 8 | Dental Elevator Set Straight Curved Cryer 2mm, 3mm, 4mm; Dental Extraction Instruments (8pcs. / set) (1)... Curved Elevator 2mm (2)... Curved Elevator 3mm (3)... Curved Elevator 4mm (4)... Straight Elevator 2mm (5)... Straight Elevator 3mm (6)... Straight Elevator 4mm (7)... Cryer Left 27 (8)... Cryer Right -Manufactured from AISI 420 German stainless steel. -Product Conforms to ISO 9001, CE-Quality Mark, ISO 13485, FDA and other Quality Standards -Highly polished finish for aesthetic and corrosion resistance -High Degree of Precision and Flexibility while conducting the Clinical Procedure. -Premium Quality Stainless Steel with Superior Craftsmanship. | 1 | set | | | | |
| 9 | Stethoscope, classic III, Caribbean Blue ✓ Dual-Sided Chestpiece – Designed for both adult and pediatric assessments ✓ Tunable Technology – Easily switch between low and high frequencies with light or firm pressure ✓ Convertible Pediatric Side – Transforms into an open bell with the included non-chill rim ✓ Next-Generation Tubing – More resistant to skin oils, alcohol, and stains, increasing durability ✓ Enhanced Acoustic Sensitivity – Precision-machined chestpiece for superior sound clarity ✓ Soft-Seal Ear Tips – Snap-tight design ensures a secure fit and ambient noise reduction ✓ Lightweight & Comfortable – Anatomically designed headset for an ergonomic fit ✓ No Latex or Phthalates – Safer for both you and the environment | 1 | unit | | | | |



| | | | | | | | |
|--------------------------------------|---|---|------|------------------------|--|--|--|
| 10 | Stethoscope, classic III, All Black ✓ Dual-Sided Chestpiece – Designed for both adult and pediatric assessments ✓ Tunable Technology – Easily switch between low and high frequencies with light or firm pressure ✓ Convertible Pediatric Side – Transforms into an open bell with the included non-chill rim ✓ Next-Generation Tubing – More resistant to skin oils, alcohol, and stains, increasing durability ✓ Enhanced Acoustic Sensitivity – Precision-machined chestpiece for superior sound clarity ✓ Soft-Seal Ear Tips – Snap-tight design ensures a secure fit and ambient noise reduction ✓ Lightweight & Comfortable – Anatomically designed headset for an ergonomic fit ✓ No Latex or Phthalates – Safer for both you and the environment | 1 | unit | | | | |
| <i>(please see attached picture)</i> | | | | | | | |
| | | | | TOTAL BID PRICE | | | |

After having carefully read and accepted your General Conditions, I/We submit our quotation/s for the item/s above.

Signature over Printed Name

Position/Designation

Office Mobile No. / E-mail Address

TERMS AND CONDITIONS

1. Quotations exceeding the Approved Budget for the Contract shall be rejected.
2. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
3. The item/s shall be delivered according to the accepted offer of the bidder.
4. Payment shall be processed after delivery and upon submission of the required supporting documents, in accordance with existing government accounting rules and regulations.
5. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The CatSU may rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
6. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its 2016 revised IRR.